



INTERNATIONAL
RADIOFREQUENCY
(RF) THERAPY

PRODUCT CATALOG

CONTENTS

RADIOFREQUENCY (RF) THERAPY FOR CHRONIC PAIN

Radiofrequency Generator	
IonicRF™ Generator	2
Generator Pole	
Pole Mount Bracket and Pole	2
Radiofrequency Reusable Electrodes	
Nitinol Electrodes.	2
Reusable Stainless Steel Electrode	2
Radiofrequency Disposable Electrodes	
Disposable Stainless Steel Electrode	2
Disposable Simplicity™ Probe	2
Adapter Cables	
IonicRF™ and NeuroTherm™ Generator	2
Radiofrequency Disposable Grounding Pads	2
SMK™ Premium RF Needle	
Straight RF Needle	2
Curved RF Needle	2
SL Premium RF Needle	
Straight RF Needle	2
Curved RF Needle	2
Classic RF Needle	
Straight RF Needle	2
Curved RF Needle	2
RF Quick Reference Guide	3

RADIOFREQUENCY (RF) THERAPY FOR CHRONIC PAIN

Radiofrequency Generator

IonicRF™ Generator

Model	Description
RFG-IONIC	Radiofrequency Generator (Includes no electrodes)

Generator Pole

Model	Description
RF-POLE	Pole Mount Bracket and Pole

Radiofrequency Reusable Electrodes

Nitinol Electrodes

Model	Description
RF-NE-5-CE	5 cm Next Generation Reusable Nitinol Electrode
RF-NE-10-CE	10 cm Next Generation Reusable Nitinol Electrode
RF-NE-15-CE	15 cm Next Generation Reusable Nitinol Electrode

Reusable Stainless Steel Electrode

Model	Description
RF-SE-5-CE	5 cm Next Generation Reusable Stainless Steel Electrode
RF-SE-10-CE	10 cm Next Generation Reusable Stainless Steel Electrode
RF-SE-15-CE	15 cm Next Generation Reusable Stainless Steel Electrode
RF-SE-20-CE	20 cm Next Generation Reusable Stainless Steel Electrode

Radiofrequency Disposable Electrodes

Disposable Stainless Steel Electrode

Model	Description
RFDEUK-5	5 cm Disposable Stainless Steel Electrode
RFDEUK-10	10 cm Disposable Stainless Steel Electrode
RFDEUK-15	15 cm Disposable Stainless Steel Electrode
RFDEUK-20	20 cm Disposable Stainless Steel Electrode

Disposable Simplicity™ Probe

Model	Description
RFDE-SI	Disposable Simplicity™ Probe

Adapter Cables

IonicRF™ and NeuroTherm™ Generator

Model	Description
AC-B-NT	AC Baylis Gen to NT Reusable Electrode
DACUK-NT	NT1100™, NT2000iX™ and IonicRF™ Generators to Disposable UK Electrode
AC-SI-III	NT1100™, NT2000iX™ and IonicRF™ Generators to Simplicity™ Probe

Radiofrequency Disposable Grounding Pads

Model	Description
RF-DGP-S	Disposable Grounding Pad with Cable for the NT Generators
Cathay GP202D-AC	Disposable Grounding Pad with Cable for the IonicRF™ Generator
RF-DGP-IS	Disposable Grounding Pad with Cable for the IonicRF™ Generator

SMK™ Premium RF Needle

Straight RF Needle

Model	Description
SMK-S1002-22	Select RF Straight Cannula, 100 mm, 22G, 2 mm ActiveTip™ Electrode
SMK-S1005-20	Select RF Straight Cannula, 50mm, 20G, 5 mm ActiveTip™ Electrode
SMK-S1005-22	Select RF Straight Cannula, 100 mm, 22G, 5 mm ActiveTip™ Electrode
SMK-S1010-20	Select RF Straight Cannula, 100mm, 20G, 10 mm ActiveTip™ Electrode
SMK-S1010-22	Select RF Straight Cannula, 100 mm, 22G, 10 mm ActiveTip™ Electrode
SMK-S1505-20	Select RF Straight Cannula, 150mm, 20G, 5 mm ActiveTip™ Electrode
SMK-S1510-20	Select RF Straight Cannula, 150mm, 20G, 10 mm ActiveTip™ Electrode
SMK-S505-22	Select RF Straight Cannula, 50 mm, 22G, 5 mm ActiveTip™ Electrode

Curved RF Needle

Model	Description
SMK-C1005-22	Select RF Curved Cannula, 100mm, 22G, 5mm ActiveTip™ Electrode
SMK-C1010-18	Select RF Curved Cannula, 100 mm, 18G, 10 mm ActiveTip™ Electrode

SMK-C1010-20	Select RF Curved Cannula, 100mm, 20G, 10mm ActiveTip™ Electrode
SMK-C1010-22	Select RF Curved Cannula, 100 mm, 22G, 10 mm ActiveTip™ Electrode
SMK-C1510-20	Select RF Curved Cannula, 150mm, 20G, 10mm ActiveTip™ Electrode

SL Premium RF Needle

Straight RF Needle

Model	Description
SL-S505-22	5 mm ActiveTip™ Straight Cannula, 5 cm long, 22 G
SL-S1005-22	5 mm ActiveTip™ Straight Cannula, 10 cm long, 22 G
SL-S1010-22	10 mm ActiveTip™ Straight Cannula, 10 cm long, 22 G
SL-S1005-20	5 mm ActiveTip™ Straight Cannula, 10 cm long, 20 G
SL-S1010-20	10 mm ActiveTip™ Straight Cannula, 10 cm long, 20 G
SL-S1505-20	5 mm ActiveTip™ Straight Cannula, 15 cm long, 20 G
SL-S1510-20	10 mm ActiveTip™ Straight Cannula, 15 cm long, 20 G

Curved RF Needle

Model	Description
SL-C505-22	5 mm ActiveTip™ Curved Cannula, 5 cm long, 22 G
SL-C1005-22	5 mm ActiveTip™ Curved Cannula, 10 cm long, 22 G
SL-C1005-20	5 mm ActiveTip™ Curved Cannula, 5 cm long, 20 G
SL-C1010-22	10 mm ActiveTip™ Curved Cannula, 10 cm long, 22 G
SL-C1010-20	10 mm ActiveTip™ Curved Cannula, 10 cm long, 20 G
SL-C1010-18	10 mm ActiveTip™ Curved Cannula, 10 cm long, 18 G
SL-C1510-20	10 mm ActiveTip™ Curved Cannula, 15 cm long, 20 G
SL-C1510-18	10 mm ActiveTip™ Curved Cannula, 15 cm long, 18 G

Classic RF Needle

Straight RF Needle

Model	Description
S-505	5 mm ActiveTip™ Straight Cannula, 5 cm long, 22 G
S-510	10 mm ActiveTip™ Straight Cannula, 5 cm long, 22 G
S-1005	5 mm ActiveTip™ Straight Cannula, 10 cm long, 22 G
S-1005-20	5 mm ActiveTip™ Straight Cannula, 10 cm long, 20 G
S-1010	10 mm ActiveTip™ Straight Cannula, 10 cm long, 22 G
S-1010-20	10 mm ActiveTip™ Straight Cannula, 10 cm long, 20 G
S-1010-18	10 mm ActiveTip™ Straight Cannula, 10 cm long, 18 G
S-1505	5 mm ActiveTip™ Straight Cannula, 15 cm long, 20 G
S-1510	10 mm ActiveTip™ Straight Cannula, 15 cm long, 20 G
S-2010	10 mm ActiveTip™ Straight Cannula, 20 cm long, 20 G

Curved RF Needle

Model	Description
C-505	5 mm ActiveTip™ Curved Cannula, 5 cm long, 22 G
C-505-20	5 mm ActiveTip™ Curved Cannula, 5 cm long, 20 G
C-510	10 mm ActiveTip™ Curved Cannula, 5 cm long, 22 G
C-510-20	10 mm ActiveTip™ Curved Cannula, 5 cm long, 20 G
C-1005-S	5 mm ActiveTip™ Curved Cannula, 10 cm long, 22 G
C-1005-S-20	5 mm ActiveTip™ Curved Cannula, 10 cm long, 20 G
C-1010-S	10 mm ActiveTip™ Curved Cannula, 10 cm long, 22 G
C-1010-R	10 mm ActiveTip™ Curved Cannula, 10 cm long, 22 G, R length (10.3 cm)
C-1010-R-20	10 mm ActiveTip™ Curved Cannula, 10 cm long, 20 G, R length (10.3 cm)
C-1010-S-18	10 mm ActiveTip™ Curved Cannula, 10 cm long, 18 G
C-1010-R-18	10 mm ActiveTip™ Curved Cannula, 10 cm long, 18 G, R length (10.3 cm)
C-1010-S-20	10 mm ActiveTip™ Curved Cannula, 10 cm long, 20 G
C-1010-16	10 mm ActiveTip™ Curved Cannula, 10 cm long, 16 G
C-1015-S-20	15 mm ActiveTip™ Curved Cannula, 10 cm long, 20 G
C-1505-S	5 mm ActiveTip™ Curved Cannula, 15 cm long, 20 G
C-1510-R-22	10 mm ActiveTip™ Curved Cannula, 15 cm long, 22 G, R length (10.3 cm)
C-1510-S	10 mm ActiveTip™ Curved Cannula, 15 cm long, 20 G
C-1510-R	10 mm ActiveTip™ Curved Cannula, 15 cm long, 20 G, R length (10.3 cm)
C-1510-S-18	10 mm ActiveTip™ Curved Cannula, 15 cm long, 18 G
C-1510-16	10 mm ActiveTip™ Curved Cannula, 15 cm long, 16 G
C-1515-S	15 mm ActiveTip™ Curved Cannula, 15 cm long, 20 G

RADIOFREQUENCY (RF) THERAPY FOR CHRONIC PAIN

RF Quick Reference Guide	
Model	Description
AC-SI-III	NT1100™, NT2000iX™ and IonicRF™ Generators to Simplicity™ Probe
C-1005-S	Curved, 10 cm long, 5 mm ActiveTip™ Electrode, 22 G
C-1005-S-20	Curved, 10 cm long, 5 mm ActiveTip™ Electrode, 20 G
C-1010-16	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 16 G
C-1010-R	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 22 G, R length (10.3 cm)
C-1010-R-18	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 18 G, R length (10.3 cm)
C-1010-R-20	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 20 G, R length (10.3 cm)
C-1010-S	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 22 G
C-1010-S-18	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 18 G
C-1010-S-20	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 20 G
C-1015-S-20	Curved, 10 cm long, 15 mm ActiveTip™ Electrode, 20 G
C-1505-S	Curved, 15 cm long, 5 mm ActiveTip™ Electrode, 20 G
C-1510-16	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 16 G
C-1510-R	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 20 G, R length (10.3 cm)
C-1510-R-22	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 22 G, R length (10.3 cm)
C-1510-S	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 20 G
C-1510-S-18	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 18 G
C-1515-S	Curved, 15 cm long, 15 mm ActiveTip™ Electrode, 20 G
C-505	Curved, 5 cm long, 5 mm ActiveTip™ Electrode, 22 G
C-505-20	Curved, 5 cm long, 5 mm ActiveTip™ Electrode, 20 G
C-510	Curved, 5 cm long, 10 mm ActiveTip™ Electrode, 22 G
C-510-20	Curved, 5 cm long, 10 mm ActiveTip™ Electrode, 20 G
DACUK-NT	NT1100™, NT2000iX™ and IonicRF™ Generators to Disposable UK Electrode
RF-DGP-S	Disposable Grounding Pad with Cable for the NT Generators
Cathay GP202D-AC	Disposable Grounding Pad with Cable for the IonicRF™ Generator
RF-DGP-IS	Disposable Grounding Pad with Cable for the IonicRF™ Generator
RFDE-SI	Disposable Simplicity™ Probe
RFDEUK-10	10 cm Disposable Stainless Steel Electrode
RFDEUK-15	15 cm Disposable Stainless Steel Electrode
RFDEUK-20	20 cm Disposable Stainless Steel Electrode
RFDEUK-5	5 cm Disposable Stainless Steel Electrode
RFG-IONIC	IonicRF™ Generator
RF-POLE	Pole Mount Bracket and Pole
RF-NE-5-CE	5 cm Next Generation Reusable Nitinol Electrode
RF-NE-10-CE	10 cm Next Generation Reusable Nitinol Electrode
RF-NE-15-CE	15 cm Next Generation Reusable Nitinol Electrode

RF Quick Reference Guide	
Model	Description
RF-SE-5-CE	5 cm Next Generation Reusable Stainless Steel Electrode
RF-SE-10-CE	10 cm Next Generation Reusable Stainless Steel Electrode
RF-SE-15-CE	15 cm Next Generation Reusable Stainless Steel Electrode
RF-SE-20-CE	20 cm Next Generation Reusable Stainless Steel Electrode
S-1005	Straight, 10 cm long, 5 mm ActiveTip™ Electrode, 22 G
S-1005-20	Straight, 10 cm long, 5 mm ActiveTip™ Electrode, 20 G
S-1010	Straight, 10 cm long, 10 mm ActiveTip™ Electrode, 22 G
S-1010-18	Straight, 10 cm long, 10 mm ActiveTip™ Electrode, 18 G
S-1010-20	Straight, 10 cm long, 10 mm ActiveTip™ Electrode, 20 G
S-1505	Straight, 15 cm long, 5 mm ActiveTip™ Electrode, 20 G
S-1510	Straight, 15 cm long, 10 mm ActiveTip™ Electrode, 20 G
S-2010	Straight, 20 cm long, 10 mm ActiveTip™ Electrode, 20 G
S-505	Straight, 5 cm long, 5 mm ActiveTip™ Electrode, 22 G
S-510	Straight, 5 cm long, 10 mm ActiveTip™ Electrode, 22 G
SL-C1005-20	Curved, 10 cm long, 5 mm ActiveTip™ Electrode, 20 G
SL-C1005-22	Curved, 10 cm long, 5 mm ActiveTip™ Electrode, 22 G
SL-C1010-18	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 18 G
SL-C1010-20	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 20 G
SL-C1010-22	Curved, 10 cm long, 10 mm ActiveTip™ Electrode, 22 G
SL-C1510-18	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 18 G
SL-C1510-20	Curved, 15 cm long, 10 mm ActiveTip™ Electrode, 20 G
SL-C505-22	Curved, 5 cm long, 5 mm ActiveTip™ Electrode, 22 G
SL-S1005-20	Straight, 10 cm long, 5 mm ActiveTip™ Electrode, 20 G
SL-S1005-22	Straight, 10 cm long, 5 mm ActiveTip™ Electrode, 22 G
SL-S1010-20	Straight, 10 cm long, 10 mm ActiveTip™ Electrode, 20 G
SL-S1010-22	Straight, 10 cm long, 10 mm ActiveTip™ Electrode, 22 G
SL-S1505-20	Straight, 15 cm long, 5 mm ActiveTip™ Electrode, 20 G
SL-S1510-20	Straight, 15 cm long, 10 mm ActiveTip™ Electrode, 20 G
SL-S505-22	Straight, 5 cm long, 5 mm ActiveTip™ Electrode, 22 G
SMK-S1005-20	Select RF Straight Cannula, 50 mm, 20 G, 5 mm ActiveTip™ Electrode
SMK-S1010-20	Select RF Straight Cannula, 100mm, 20 G, 10 mm ActiveTip™ Electrode
SMK-S1505-20	Select RF Straight Cannula, 150 mm, 20 G, 5 mm ActiveTip™ Electrode
SMK-S1510-20	Select RF Straight Cannula, 150 mm, 20 G, 10 mm ActiveTip™ Electrode
SMK-C1010-20	Select RF Curved Cannula, 100 mm, 20 G, 10 mm ActiveTip™ Electrode
SMK-C1510-20	Select RF Curved Cannula, 150 mm, 20 G, 10 mm ActiveTip™ Electrode
SMK-C1005-22	Select RF Curved Cannula, 100 mm, 22 G, 5 mm ActiveTip™ Electrode

RADIOFREQUENCY (RF) THERAPY FOR CHRONIC PAIN

RF Quick Reference Guide

Model	Description
SMK-C1010-18	Select RF Curved Cannula, 100 mm, 18 G, 10 mm ActiveTip™ Electrode
SMK-C1010-22	Select RF Curved Cannula, 100 mm, 22 G, 10 mm ActiveTip™ Electrode
SMK-S1010-22	Select RF Straight Cannula, 100 mm, 22 G, 10 mm ActiveTip™ Electrode
SMK-S1002-22	Select RF Straight Cannula, 100 mm, 22 G, 2 mm ActiveTip™ Electrode
SMK-S1005-22	Select RF Straight Cannula, 100 mm, 22 G, 5 mm ActiveTip™ Electrode
SMK-S505-22	Select RF Straight Cannula, 50 mm, 22 G, 5 mm ActiveTip™ Electrode

Abbott

One St. Jude Medical Dr., St. Paul, MN 55117 USA, Tel: 1 651 756 2000
Neuromodulation.Abbott

Brief Summary: Prior to using these devices, please review the Instructions for Use for a complete listing of indications, contraindications, warnings, precautions, potential adverse events and directions for use.

™ Indicates a trademark of the Abbott group of companies.

‡ Indicates a third party trademark, which is property of its respective owner.

© 2020 Abbott. All Rights Reserved.

39817 MAT-2004885 v1.0 | Item approved for international use only.

